

W A R M H O M E
F I R E P L A C E C O L L E C T I O N



2015-2016

W A R M H O M E

FIREPLACE COLLECTION

WELCOME TO THE WARM HOME FIREPLACE COLLECTION

The Warm Home Fireplace Collection presents an extensive range of traditional and contemporary fireplaces, combining supreme craftsmanship, over 20 years of experience, quality materials and elegance in design.

Our desire is to provide you with a superb choice of fireplaces skilfully made with high quality materials, all fitted in your home by reputable retailers so you can enjoy the experience of buying and owning your individual fireplace.

Within this brochure there is a selection of Mantels, Cast Iron Inserts & Fireplaces, Fireplace Suites, Fire Baskets and Stoves. The brochure has been index tabbed to help you find the section that you require and each picture has a full description of the components used.

Whether you would like to burn coal and wood, gas or install an electric fire then there will undoubtedly be something suitable within the pages of this brochure

CAST IRON FINISHES

All our cast iron products are manufactured to the highest standards in ISO 2002 accredited facilities. The quality and detail shown here is second to none. Not only is the casting quality first class, the finishing processes are carried out by highly trained craftsmen. This helps us to achieve a consistent and unrivalled offering to our valued customers. It is this application of skill and process that creates the high value products shown in **THE WARM HOME FIREPLACE COLLECTION** brochure.



BLACK FINISH

BLACK FINISH is a painted matt black finish. The black finish is the most appropriate for multi fuel applications as polished finishes can tarnish with high temperatures.



HIGHLIGHTED FINISH

HIGHLIGHTED FINISH is where certain elements of the casting are polished on a black painted background. **Although suitable for use with multi fuel, highlight finish may tarnish with high temperatures.**



FULL POLISHED

FULL POLISHED is, as the name suggests, where the entire product is polished. **Although suitable for use with multi fuel, full polished finish may tarnish with high temperatures. CHROME FINISHES ARE NOT SUITABLE FOR MULTI FUEL FIRES.**

MANTEL FINISHES



LIMESTONE

All our limestone products are delivered pre-sealed in order to minimise any marks created during fitting. Once installed your fitter should clean and re-seal your limestone products. Further sealing should not be necessary. The stone mantels pictured are manufactured from 100% natural material. As such the mantel you will purchase will be unique due to the inevitable variations in fossil formation, veining and colour. This is one of the great attractions of 100% pure natural products. Please be aware that small fossils and variations in the limestone are part and parcel of this wonderful natural product.



MARBLE

Marble products may have small amounts of colour-matched filler to give the impression of a continuous surface. The nature of marble is such that when it is formed in the earth, some small cracks are created too. The marble that is selected for the mantels shown in this brochure has been chosen to provide affordable quality, thus some minor cracks have been permitted. To achieve a perfect piece of marble with no imperfections at all means a huge amount of wastage. This has two principal effects, the product becomes prohibitively expensive and the natural resources are depleted too quickly - a much more harmful approach to the world's environment.



TIMBER

Our timber mantels use quality Solid Pine or Solid Oak



ARCH: EMBERTON *highlight*
MANTEL: ALEXANDRA 54 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 54" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

MANTELS & ARCHES



ARCH: HORLEY *black*

MANTEL: WINGFIELD 48 *PINE*

FIRE: REAL LOGS

HEARTH: 48" SLABBED GRANITE FOR MULTI FUEL

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES





ARCH: HORLEY *half polished*
MANTEL: ALDBURY 51 *AGEAN LIMESTONE*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 54" SLATE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



ARCH: FRANKTON *highlight*
MANTEL: ALDBURY 56 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 54" SLATE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



ARCH: BARNWELL *highlight*
MANTEL: NUFFIELD 56 CARRARA MARBLE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 54" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

MANTELS & ARCHES



ARCH: HARLINGTON *black*
MANTEL: WASHINGTON 54 AGEAN LIMESTONE
FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS
HEARTH: 54" BEVELLED GRANITE
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



ARCH: HARLINGTON *full polished*
MANTEL: ALDBURY 56 CARRARA MARBLE
FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS
HEARTH: 54" SLATE
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES





ARCH: HARLINGTON *half polished*
MANTEL: EARLSWOOD 55 *AGEAN LIMESTONE*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 54" HONED GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

MANTELS & ARCHES



ARCH: MADISON *highlight*
MANTSEL: ALEXANDRA 54 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 54" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



ARCH: LEAGRAVE *highlight*
MANTSEL: COLBY 55 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 54" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



ARCH: BROUGHTONE *highlight*
MANTEL: DRAYTON 56 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC LOGS

HEARTH: 54" BEVELLED GRANITE (SPECIAL ORDER)

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



ARCH: CLAYDON *highlight*

MANTEL: WASHINGTON 54 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 54" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



ARCH: FRANKTON *highlight*
MANTEL: KEMPSTON 56 (SHOWN WITH REMOVABLE FRIEZE) AGEAN LIMESTONE

FIRE: REAL COAL (SHOWN WITH DEEPER BACK FOR LARGER BURNING AREA)

HEARTH: 56" SLABBED GRANITE FOR MULTI FUEL
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

MANTELS & ARCHES



ARCH: WESTONING *highlight*
MANTEL: ALEXANDRA 54 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS
HEARTH: 56" GRANITE
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



ARCH: WESTONING *black*
MANTEL: ALDBURY 60 AGEAN LIMESTONE

FIRE: REAL COAL
HEARTH: 60" SLABBED GRANITE FOR MULTI FUEL
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES





ARCH: EMBERTON *highlight*
MANTEL: ALDBURY 56 CARRARA MARBLE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 60" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

COMBINATIONS

Shelf: 36"



GREENOCK *black*

FIRE: REAL LOGS

HEARTH: 36" SLABBED GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

Shelf: 36"



GREENOCK *highlight*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 36" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



GREENOCK *full polished (Shelf 36")*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 36" SLATE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

COMBINATIONS

Shelf: 36"



CHILTERN *highlight*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 36" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

Shelf: 48"



SYDENHAM *full polished*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC FIREWOOD,

HEARTH: 48" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



SYDENHAM *black* (shelf 48")

FIRE: REAL LOGS (SHOWN WITH DEEPER BACK FOR LARGER BURNING AREA)

HEARTH: 48" SLABBED GRANITE FOR MULTI FUEL

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

COMBINATIONS

Shelf: 32"



OPAL *black*

FIRE: REAL LOGS

HEARTH: 32" BESPOKE SLABBED GRANITE FOR MULTI FUEL
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



OPAL *highlight (shelf 32")*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 32" BESPOKE GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



OAKLEY full polished (shelf 36")

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 36" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



OAKLEY black (shelf 36")

FIRE: REAL LOGS

HEARTH: 36" SLABBED GRANITE FOR MULTI FUEL

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



EDENBRIDGE *full polished (Shelf 36")*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

HEARTH: 36" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



CHEDDINGTON *highlight (shelf 36")*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

TILES: HONEYSUCKLE GREEN

HEARTH: 36" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

COMBINATIONS

Shelf: 42"



SHILLINGTON *highlight*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC PEBBLES

TILES: SWANLEY BLUE / IVORY

HEARTH: 48" SLATE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

Shelf: 48"



LANGLEY *black*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC PEBBLES,

TILES: WARWICK EMPRESS RED

HEARTH: 48" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



LANGLEY full polished (Shelf 48")

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

TILES: VICTORIAN FLOCK BURGUNDY

HEARTH: 48" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

FASCIAS



FASCIA: FRANKTON *highlight*

MANTEL: LINGWOOD 54 AGEAN LIMESTONE

FIRE: REAL LOGS (SHOWN WITH DEEPER BACK FOR LARGER BURNING AREA)

HEARTH: 54" SLABBED GRANITE FROM MULTI FUEL

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



FASCIA: DENFORD *highlight*
MANTEL: CODICOTE 56 *AGEAN LIMESTONE*

FIRE: HIGH EFFICIENCY GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL) WITH CERAMIC COALS & BRUSHED STEEL TRIM AND BAUHAUS 16" FRET POLISHED HEARTH: 60" GRANITE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

TILED INSERTS

Shelf: 54"



INSERT: FARRINGDON *black*
MANTEL: WASHINGTON 54 AGEAN LIMESTONE

FIRE: REAL COAL
TILES: VICTORIAN FLOCK CREAM,
HEARTH: 54" SLABBED GRANITE FOR MULTI FUEL
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

Shelf: 55"



INSERT: FARRINGDON *full polished*
MANTEL: COLBY 55 AGEAN LIMESTONE

FIRE: REAL COAL
TILES: JAZZ LILAC / IVORY
HEARTH: 54" SLABBED GRANITE FOR MULTI FUEL
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



INSERT: BURCOTT *black*
MANTEL: WINGFIELD 48 PINE
FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS
TILES: VICTORIAN FLOCK BLACK
HEARTH: 48" SLATE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

TILED INSERTS

Shelf: 54"



INSERT: SWANLEY *highlight*

MANTEL: ALDBURY 56 *AGEAN LIMESTONE*

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

TILES: TULIP YELLOW / IVORY

HEARTH: 54" SLATE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

Shelf: 53"



INSERT: HEYBRIDGE *black*

MANTEL: ASHURST 53 *OAK*

FIRE: REAL COAL

TILES: TIFFANY BURGUNDY WITH BURGUNDY SPACERS

HEARTH: 54" SLABBED GRANITE FOR MULTI FUEL

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



INSERT: HEYBRIDGE *highlight*
MANTEL: NUFFIELD 56 CARRARA MARBLE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

TILES: JAZZ BURGUNDY / IVORY

HEARTH: 54" WATERFALL GRANITE (ILLUSTRATION PURPOSES ONLY)

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

HE INSERT

THE **HE** BRAND HAS BEEN DESIGNED TO DELIVER EFFICIENT GAS FIRES WITHIN MORE TRADITIONAL CAST IRON FIREPLACES.

We have sought from the design stage to combine the two critical components, the fires and the cast iron surrounds in unison to deliver an aesthetically pleasing integrated appliance that offers you a choice of gas fire and one of the best fuel efficiencies for any integrated appliance on the market.



FIRE	INPUT	OUT PUT	CHAMBER DEPTH	EFFICIENCY	CERAMICS COAL
FULL DEPTH OPEN FRONTED CONVECTOR	6.9kW	3.5kW	230	55.8%	✓
SLIMLINE OPEN FRONTED CONVECTOR	6.5kW	2.6kW	90	44.0%	✓
FULL DEPTH GLASS FRONTED CONVECTOR	5.0kW	2.9kW	230	64.2%	✓
SLIMLINE GLASS FRONTED CONVECTOR	4.0kW	2.7kW	90	74.0%	✓
BALANCED FLUE *	4.6kW	3.9kW	130	94.0%	✓

NATURAL GAS FIRES ONLY

*MINIMUM WALL DEPTH 230MM / MAX WALL DEPTH 560MM. OPTIONAL EXTENDED FLUE MAX WALL DEPTH 930MM



INSERT: **HE FRANKTON *highlight***
MANTEL: **ALDBURY 56 AGEAN LIMESTONE**
FIRE: HE GLASS FRONTED CONVECTOR
HEARTH: 56" GRANITE
FIREPLACE SUITABLE FOR HIGH EFFICIENCY GAS FIRES



INSERT: **HE** CLAYDON *highlight*

MANTEL: WASHINGTON 54 AGEAN LIMESTONE

FIRE: HE BALANCED FLUE

HEARTH: 56" GRANITE

FIREPLACE SUITABLE FOR HIGH EFFICIENCY GAS FIRES



INSERT: **HE HEYBRIDGE** *highlight*
MANTEL: COLBY 55 *AGEAN LIMESTONE*

FIRE: HE OPEN FRONTED CONVECTOR

TILES: JAZZ YELLOW/IVORY

HEARTH: 54" GRANITE

FIREPLACE SUITABLE FOR HIGH EFFICIENCY GAS FIRES

WARM HOME FIREBASKETS

The Warm Home Fireplace Collection presents an extensive range of traditional and contemporary firebaskets, combining supreme craftsmanship, quality materials and elegance in design.

The following range of firebaskets has been divided into two sections according to style - CONTEMPORARY & TRADITIONAL.

We pride ourselves on the breadth and variety of choice of our products and are confident there is something to suit all tastes and budgets.

Each Firebasket is shown in a fireplace setting, with mantel and hearth details given in the text below each picture. In many cases a chamber lining is used to finish off the look.



CONTEMPORARY FIREBASKETS



BASKETS

BASKET: SMALL TRILLION *chrome finish*

CHAMBER: BESPOKE PORTUGUESE LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

FIREPLACE SUITABLE FOR GAS & MULTIFUEL FIRES


QUARTZ NO BACK *black* (shown with decorative gas fire & ceramic coals)
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



QUARTZ NO BACK *full polished* (shown with decorative gas fire & ceramic coals)
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



QUARTZ WITH BACK *black* (shown with real logs)
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



CONTEMPORARY FIREBASKETS



BASKETS

BASKET: QUARTZ WITH BACK *full polished*
MANTEL: ALEXANDRA 54 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC FIREWOOD,

BASKET SLIPS: AGEAN LIMESTONE

CHAMBER: NATURAL REEDED FIREBOARD

HEARTH: 54" AGEAN LIMESTONE

BACK HEARTH: AGEAN LIMESTONE

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES

CORAL full polished (shown with decorative gas fire & ceramic pebbles)
FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES



CONTEMPORARY FIREBASKETS



BASKETS

BASKET: CORAL *black*
MANTEL: COLBY 55 AGEAN LIMESTONE

FIRE: REAL LOGS

BASKET SLIPS: GRANITE

CHAMBER: BLACK PAINTED REEDED FIREBOARD

HEARTH: 54" SLABBED GRANITE FOR MULTI FUEL

BACK HEARTH: SLABBED GRANITE FOR MULTI FUEL

FIREPLACE SUITABLE FOR GAS, ELECTRIC & MULTIFUEL FIRES


PEARL NO BACK *full polished* (shown with decorative gas fire & ceramic firewood)
FIREPLACE SUITABLE FOR GAS & MULTIFUEL FIRES



PEARL WITH BACK *black* (shown with decorative gas fire & ceramic firewood)
FIREPLACE SUITABLE FOR GAS & MULTIFUEL FIRES



BRIGHTWELL WITH BACK *black* (shown with real logs)
FIREPLACE SUITABLE FOR GAS & MULTIFUEL FIRES



CONTEMPORARY FIREBASKETS



BASKETS

BASKET: BRIGHTWELL NO BACK *full polished*
MANTEL: KEMPSTON AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC LOGS

CHAMBER & SLIPS: AGEAN LIMESTONE

HEARTH: 54" AGEAN LIMESTONE, BACK HEARTH: AGEAN LIMESTONE

BASKET SUITABLE FOR GAS & MULTIFUEL FIRES

SMALL TOPAZ *black side** (shown with real logs)
BASKET SUITABLE FOR MULTIFUEL FIRES



SMALL TOPAZ *polished side** (shown with real logs)
BASKET SUITABLE FOR MULTIFUEL FIRES



LARGE TOPAZ *black side** (shown with real logs)
BASKET SUITABLE FOR MULTIFUEL FIRES



CONTEMPORARY FIREBASKETS



BASKET: LARGE TOPAZ polished side*
MANTEL: EARLSWOOD AGEAN LIMESTONE

FIRE: REAL LOGS

BASKET SLIPS: GRANITE

CHAMBER: BLACK PAINTED REEDED FIREBOARD,

HEARTH: 54" SLABBED GRANITE FOR MULTI FUEL

BACK HEARTH: SLABBED GRANITE FOR MULTI FUEL

BASKET SUITABLE FOR MULTIFUEL FIRES

LARGE KIRTON *black side** (shown with decorative gas fire & ceramic coals)
BASKET SUITABLE FOR GAS & MULTIFUEL FIRES



LARGE KIRTON *polished side** (shown with decorative gas fire & ceramic coals)
BASKET SUITABLE FOR GAS & MULTIFUEL FIRES



SMALL KIRTON *black side** (shown with real logs)
BASKET SUITABLE FOR GAS & MULTIFUEL FIRES



CONTEMPORARY FIREBASKETS



BASKET: SMALL KIRTON *polished side**
MANTEL: BELLINGHAM 54 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS

BASKET SLIPS: SLATE

CHAMBER: CAST IRON REEDED PANELS

HEARTH: 54" SLATE, **BACK HEARTH:** SLATE

BASKET SUITABLE FOR GAS & MULTIFUEL FIRES



BASKET: LARIMAR *chrome finish side**
MANTEL: ALDBURY 51" AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH HIGH DEFINITION CERAMIC LOGS

BASKET SLIPS: AGEAN LIMESTONE

CHAMBER: NATURAL REEDED FIREBOARD

BASKET SUITABLE FOR GAS FIRES

*LARIMAR BASKETS ARE REVERSIBLE BLACK AND CHROME

CONTEMPORARY FIREBASKETS



BASKET: LIGHTNING *chrome finish*
MANTEL: MENTMORE 44" AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC DRIFTWOOD

BASKET SLIPS: SLATE

CHAMBER: BLACK PAINTED REEDED FIREBOARD

HEARTH: 48" SLATE

BACK HEARTH: SLATE

BASKET SUITABLE FOR GAS FIRES

CONTEMPORARY FIREBASKETS



BASKET: MARQUISE *chrome finish*
MANTEL: ALDBURY 56 AGEAN LIMESTONE

FIRE: DECORATIVE GAS FIRE WITH CERAMIC COALS,

BASKET SLIPS: SLATE

CHAMBER: BLACK PAINTED REEDED FIREBOARD

HEARTH: 54" SLATE

BACK HEARTH: SLATE

BASKET SUITABLE FOR GAS FIRES

TRADITIONAL FIREBASKETS

PRINCESS *highlight* (shown with decorative gas fire & ceramic coal)
BASKET SUITABLE FOR ELECTRIC, GAS & MULTIFUEL FIRES



MAYLAND *black* (shown with decorative gas fire & ceramic coal)
BASKET SUITABLE FOR GAS & MULTIFUEL FIRES



16" SHOTLEY *black* (shown with coal)
Also available in 18" version (see page 33)
BASKET SUITABLE FOR MULTIFUEL FIRES



CONTEMPORARY BASKETS - RANGE AT A GLANCE

Shown without back



PEARL

FINISHES: POLISHED & BLACK
NO BACK: 375 (W) x 285 (D) x 190 (H)
WITH BACK: 375 (W) x 285 (D) x 230 (H)



QUARTZ NO BACK


FINISHES: POLISHED & BLACK
440 (W) x 300 (D) x 220 (H)



QUARTZ WITH BACK

FINISHES: POLISHED & BLACK
455 (W) x 300 (D) x 385 (H)

Shown without back



BRIGHTWELL

FINISHES: POLISHED & BLACK
NO BACK: 530 (W) x 260 (D) x 190 (H)
WITH BACK: 530 (W) x 260 (D) x 235 (H)



CORAL

FINISHES: POLISHED & BLACK
515 (W) x 300 (D) x 395 (H)



LIGHTNING

FINISH: CHROME
425 (W) x 285 (D) x 225 (H)



LARIMAR


FINISH: CHROME & BLACK (REVERSIBLE)
455 (W) x 285 (D) x 250 (H)



Shown in gas fire position.

SMALL TRILLION

FINISHES: CHROME
GAS FIRE POSITION: 610 (W) x 315 (D) x 190 (H)
SOLID FUEL POSITION: 610 (W) x 315 (D) x 135 (H)



LARGE TOPAZ

FINISH: POLISHED & BLACK (REVERSIBLE)
550 (W) x 250 (D) x 200 (H)



SMALL TOPAZ

FINISH: POLISHED & BLACK (REVERSIBLE)
400 (W) x 250 (D) x 200 (H)

TRADITIONAL BASKETS - RANGE AT A GLANCE



16" SHOTLEY
FINISH: BLACK
390 (W) X 280 (D) X 180 (H)



18" SHOTLEY
FINISH: BLACK
455 (W) x 320 (D) x 170 (H)
ALSO AVAILABLE IN 16":
390 (W) X 280 (D) X 180 (H)




LARGE KIRTON
FINISH: POLISHED & BLACK REVERSIBLE
560 (W) x 280 (D) x 475 (H)



SMALL KIRTON
FINISH: POLISHED & BLACK REVERSIBLE
485 (W) x 305 (D) x 365 (H)



MAYLAND
FINISHES: BLACK WITH BRASS FINIALS
AND KNOB
570 (W) x 280 (D) x 440 (H)



PRINCESS
FINISH: HIGHLIGHT
590 (W) x 285 (D) x 580 (H)



MARQUISE
FINISHES: POLISHED
545 (W) x 245 (D) x 475 (H)

ALL SIZES IN MILLIMETRES
IMAGES ARE NOT TO SCALE

WARM HOME FIREPLACE SUITES

The FIREPLACE SUITES within this brochure represent classic fireplace designs, aimed to complement a variety of interior styles.

We hope this wide choice will allow you to select your favourite design.

A suite consists of the mantel, back panel and hearth. We have pictured our suite designs in a variety of options to demonstrate some of the many different combinations that can be achieved.

Every suite in this brochure can be fitted against a flat wall without a chimney, if chosen with an electric fire, all that is required is a power point.

We have generally shown the suites with gas and electric fire options, if burning solid fuel is your preference then please select a Portuguese Limestone suite and ask for a solid fuel hearth.

MADE 2 MEASURE
Change size to suit your home



SUITES



SUITE: RAMSEY 48 *Portuguese Limestone*

FIRE: DECORATIVE OPEN FRONTED GAS FIRE WITH CERAMIC COALS

TRIM: ANTIQUE BRASS FINISH

FRET: 16" BAUHAUS ANTIQUE BRASS FINISH

SUITES

MADE 2 MEASURE

Change size to suit your home



SUITE: WITCHFORD 54 *Portuguese Limestone*

STOVE: TIGER GAS

CHAMBER: NATURAL REEDED FIREBOARD (SLIPS NOT SHOWN)

HEARTH: PORTUGUESE LIMESTONE

BACK HEARTH: PORTUGUESE LIMESTONE



3
YEAR
WARRANTY
GAS FIRE

SUITE: HADSTOCK 54 *Portuguese Limestone*

FIRE: OPEN FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL)

FIREFRAME: SOLARIS CHROME

SUITES

MADE 2 MEASURE

Change size to suit your home



SUITE: DUXFORD 42 *Portuguese Limestone*

FIRE: GLASS FRONTED GAS CONVECTOR (SLIDE CONTROL)

FIREFRAME: AURORA CHROME



SUITE: CLAVERING 48 *Portuguese Limestone*

FIREBASKET: SMALL TOPAZ POLISHED (REVERSIBLE)

FIRE: REAL LOGS

CHAMBER: NATURAL REEDED FIREBOARD

BACK HEARTH: PORTUGUESE LIMESTONE
(HEARTH & BACK HEARTH SLABBED FOR MULTI FUEL)

SUITES

MADE 2 MEASURE

Change size to suit your home



SUITE: STANFORD 48 *Portuguese Limestone*

FIRE: GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL) WITH CERAMIC COALS
FIREFRAME: SOLARIS ANTIQUE BRASS FINISH



SUITE: BUNTINGFORD 48 *Portuguese Limestone*

FIRE: GLASS FRONTED GAS CONVECTOR FIRE (SLIDE CONTROL) WITH CERAMIC COALS

FIREFRAME: AURORA ANTIQUE BRASS FINISH

MULTIFUEL & GAS CAST IRON STOVES

All Tiger & Firefox stoves are manufactured from cast iron, therefore it is vital that appliances undergo a period of 'burning in', this involves small fires initially, gradually increasing in size with each firing, if this process is adhered to, you should experience years of trouble free, enjoyable use.

Our stoves are CE approved to EN13240 and are suitable for use with wood, coal, coke, peat, anthracite or smokeless fuels.

Each stove has a riddling grate mechanism to ease de-ashing. Please ensure that all ash is removed from your solid fuel stove (once cooled) on a regular basis, it is important that a build up of ash is not allowed to occur as this will affect the life of the consumable parts within the burning chamber.

Both Multi Fuel & Clean Burn stoves can be top or rear flue exit, gas stoves are top exit only. Stoves, in use, become very hot and therefore, all are supplied with a heat resistant mitten for safety.

An 'air wash' system, which helps to keep the large viewing glass clean during operation and improve efficiency, is standard across the range.

Each stove is supplied with detailed, comprehensive installation & user instructions. It is critical that ALL installations conform to relevant Building Regulations and should be carried out by a qualified Gas Safe Register registered installer when fitting a gas stove, or a HETAS qualified engineer when installing for use with solid fuel. Failure to comply with these requirements may reduce the efficiency & serviceability of your appliance and will invalidate any guarantee. It is essential that prior to any installation, a relevant qualified engineer verifies the proposed site, location and conditions are suitable for the stove selected.



STOVE: TIGER INSET *CLEAN BURN*
SUITE: RAMSEY 48 *PORTUGUESE LIMESTONE*
STOVE SUITABLE FOR MULTIFUEL FIRES

MULTIFUEL & GAS CAST IRON STOVES



STOVE: TIGER MULTIFUEL

SHOWN IN A BRICK BUILT COUNTRY COTTAGE FIREPLACE
STOVE SUITABLE FOR MULTIFUEL FIRES

ALL TIGER STOVES COME WITH BLACK & CHROME HANDLES



STOVE: TIGER SUPERCLEAN **CLEAN BURN**

CHAMBER: RED BRICK

HEARTH: BESPOKE GRANITE

STOVE SUITABLE FOR MULTIFUEL FIRES

MULTIFUEL & GAS CAST IRON STOVES



STOVE: FIREFOX 5 MULTI FUEL

MANTEL: WASHINGTON AGEAN LIMESTONE

CHAMBER: RED BRICK

SLIPS: GRANITE

HEARTH: 54" SLABBED GRANITE FOR MULTI FUEL,

BACK HEARTH: SLABBED GRANITE FOR MULTI FUEL

STOVE SUITABLE FOR MULTIFUEL FIRES



STOVE: FIREFOX 8 MULTI FUEL

HEARTH: 48" SLABBED GRANITE HEARTH FOR MULTI FUEL

BACK HEARTH: SLABBED GRANITE HEARTH FOR MULTI FUEL

STOVE SUITABLE FOR MULTIFUEL FIRES

MULTIFUEL & GAS CAST IRON STOVES



STOVE: FIREFOX 8 TD MULTI FUEL

HEARTH: BESPOKE SLATE

STOVE SUITABLE FOR MULTIFUEL FIRES



STOVE: FIREFOX 12 MULTI FUEL

CHAMBER: BESPOKE RED BRICK WITH FRONT RETURNS
STOVE SUITABLE FOR MULTIFUEL FIRES

MULTIFUEL & GAS CAST IRON STOVES



STOVE: TIGER GAS

MANTEL: WITCHFORD 54 PORTUGUESE LIMESTONE

CHAMBER: NATURAL REEDED FIREBOARD (SLIPS NOT USED)

HEARTH & BACK HEARTH: PORTUGUESE LIMESTONE

STOVE SUITABLE FOR GAS FIRES





STOVE: FIREFOX 5 CLEAN BURN

MANTEL: WASHINGTON AGEAN LIMESTONE

CHAMBER: RED BRICK

SLIPS: GRANITE

HEARTH: 54" SLABBED GRANITE FOR MULTI FUEL,

BACK HEARTH: SLABBED GRANITE FOR MULTI FUEL

STOVE SUITABLE FOR MULTI FUEL FIRES



STOVE: FIREFOX 8 CLASSIC CLEAN BURN

HEARTH: BESPOKE SLABBED GRANITE HONED FOR MULTI FUEL
STOVE SUITABLE FOR MULTI FUEL FIRES

GAS & ELECTRIC FIRE OPTIONS

We offer a range of Gas & Electric fires to compliment our fireplaces.



On Gas Fires detailed below

Open Fronted Convector Fire with Slide Control (Class 1)

Open Fronted Convector Fire with Slide Control (Class 2)

Glass Fronted Convector Fire with Slide Control

Decorative Open Fronted Gas Fire with Manual Control

Inset Electric Fire - Manual or Remote Control

Please discuss with your local retailer to find the fire that is best suited to your needs.

The table below explains which Fireframes and Trim & Frets are available for each particular fire.


Note: spacer kits may be required to fit trims to certain fires.

FIRE	TECHNICAL				CERAMICS		FIREFRAMES			FRETS (+TRIMS)				
	INPUT	OUTPUT	INSET DEPTH	MAX. EFFICIENCY	COALS	PEBBLES	AURORA	LUNAR	SOLARIS	16" BAUHAUS	18" BAUHAUS	CLEVEDON	BALTIMORE	BLenheim
CLASS 1 OPEN FRONTED CONVECTOR GAS FIRE <i>MODEL 940 (SLIDE CONTROL)</i>	6.9kW	4.0kW	235mm	64.5%	✓	✓	✓	✓	✓	✓	✓	✓		✓
CLASS 2 OPEN FRONTED CONVECTOR GAS FIRE <i>MODEL 953 (SLIDE CONTROL)</i>	6.0kW	3.4kW	135mm	61%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
GLASS FRONTED CONVECTOR GAS FIRE <i>MODEL 961 (SLIDE CONTROL)</i>	5.0kW	4.4kW	185mm	88.8%	✓		✓	✓	✓	✓	✓			
DECORATIVE OPEN FRONTED GAS FIRE <i>MODEL 939 (MANUAL CONTROL)</i>	6.9kW	3.5kW	245mm	50%	✓	✓				✓	✓	✓	✓	✓
INSET ELECTRIC FIRE (REMOTE CONTROL)	2.0kW	2.0kW	75mm	100%	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

TRIM & FRET OPTIONS

Once you have chosen the type of fire you want its time to decide which fireframe, or trim and fret combination you prefer.

Below is a selection of three fireframe designs and four fret/trim designs available in various finishes. Simply select the combination you prefer then check the table on the opposite page to determine what fires your chosen option is available with.



trim: BLACK
fret: BALTIMORE
black



trim: POLISHED
fret: BALTIMORE
chrome finish



trim: ANTIQUE BRASS
FINISH
fret: BAUHAUS
antique brass finish



trim: BLACK
fret: BAUHAUS
black



trim: POLISHED
fret: BAUHAUS chrome finish
(Also available in polished finish)



trim: DIAMOND BLACK
fret: BAUHAUS
diamond black



trim: ANTIQUE BRASS FINISH
fret: BLENHEIM
antique brass finish



fireframe: AURORA
black



fireframe: AURORA
antique brass finish



fireframe: LUNAR
highlight



fireframe: SOLARIS
antique brass finish

Note: spacer kits may be required to fit some frames to certain fires.

TILES - RANGE AT A GLANCE

TUBE LINE TILES



JAZZ
Burgundy / Ivory*



JAZZ
Yellow / Ivory*



JAZZ
Lilac / Ivory*



SWEEPING ROSE
Yellow / Ivory*



TULIP
Burgundy / Ivory



TULIP
Blue / Ivory



TULIP
Yellow / Ivory



HASLINGDEN
Burgundy / Ivory



ARGYLL
Red / Ivory*

TRANSFER TILES



HONEYSUCKLE
Green



VICTORIAN FLOCK
Black



VICTORIAN FLOCK
Burgundy



VICTORIAN FLOCK
Cream




LAVENHAM
Velvet



LAVENHAM
Amethyst



LAVENHAM
Scarlet



WARWICK
Empress Red

* LEFT HAND PANEL ILLUSTRATED

ACCESSORIES - RANGE AT A GLANCE

BASKETS



AVON
300H



DERWENT
320H



EDEN
220H



MEDWAY
320H



SEVERN
300H



TAMAR
330H



TRENT
350H

BUCKETS & LOG HOLDERS



ASH BUCKET
340H



CRESCENT
420W



DORSET
540H



BARNWELL
410H



KINDLING BUCKET
340H



LOG, KINDLING & MATCH HOLDERS



NORDIC
590H



SALISBURY
220H



WATERLOO
300H

COMPANION SETS



DUCHESS HEARTH TIDY
300L



ELIPSE
540H



EYE HANDLE CHESTNUT ROASTER
520L



FINESSE
540H



MANOR
558H



ORION LOOP
600H



TEESET
540H



TEMPLE
584H



TRIO
450H

FIREGUARDS



3 PANEL with DOORS
610H x 960W



4 FOLD SCREEN
610H x 960W



BOW
750H x 640W



CAMBER
LARGE: 660H x 760W
SMALL: 610H x 660W



CLASSIC 3 PANEL
610H x 960W



CLASSIC RECTANGULAR SPARK GUARD
610H x 540W



COTSWOLD
710H x 620W



CRUSADE 3-FOLD
584H x 533W



DYNASTY
660H x 431W



NURSERY GUARD
460H x 870-1600W



PREMIER DOME LARGE
710H x 610H



PREMIER DOME SMALL
610H x 510W



PREMIUM RECTANGULAR SPARK GUARD LARGE
710H x 610W



PREMIUM RECTANGULAR SPARK GUARD SMALL
610H x 535W

MANTELS - RANGE AT A GLANCE



MENTMORE 44"
AVAILABLE IN AGEAN LIMESTONE



APPLEDORE 48"
AVAILABLE IN AGEAN LIMESTONE



BELLINGHAM 54"
AVAILABLE IN AGEAN LIMESTONE



LINGWOOD 51" & 54"
AVAILABLE IN AGEAN LIMESTONE



ALEXANDRA 54"
AVAILABLE IN AGEAN LIMESTONE




WASHINGTON 54"
AVAILABLE IN AGEAN LIMESTONE



EARLSWOOD 55"
AVAILABLE IN AGEAN LIMESTONE



COLBY 55"
AVAILABLE IN AGEAN LIMESTONE



NUFFIELD 56"
AVAILABLE IN AGEAN LIMESTONE & CARRARA MARBLE.

NUFFIELD 63"
AVAILABLE IN CARRARA MARBLE



CODICOTE 56"
AVAILABLE IN AGEAN LIMESTONE



DRAYTON 56"
AVAILABLE IN AGEAN LIMESTONE



ALDBURY 51", 56" & 60"
AVAILABLE IN AGEAN LIMESTONE

ALDBURY 56"
AVAILABLE IN CARRARA MARBLE




KEMPSTON 56"
AVAILABLE IN AGEAN LIMESTONE
(SHOWN WITH REMOVABLE FRIEZE)

MANTEL SIZES (All sizes in mm)

STONE	A	B	C	D	E	F	G
EARLSWOOD 55"	1405	1235	915	915	1235	215	75
WASHINGTON 54"	1370	1165	910	910	1255	200	75
ALDBURY 51"	1295	1110	865	890	1195	200	75
ALDBURY 56"	1420	1135	915	915	1335	200	75
ALDBURY 60"	1525	1160	965	930	1425	200	75
DRAYTON 56"	1420	1135	915	915	1335	200	75
CODICOTE 56"	1420	1170	915	915	1430	185	75
KEMPSTON 56"	1420	1240	915	915	1315	200	75
MENTMORE 44"	1120	1015	815	840	1120	125	25
APPLEDORE 48"	1220	1100	815	890	1145	200	25
NUFFIELD 56"	1420	1135	880	915	1280	260	75
NUFFIELD 63" *	1600	1235	1005	1005	1505	260	75
COLBY 55"	1405	1135	915	915	1235	215	75
ALEXANDRA 54" *	1370	1155	915	915	1260	220	75
LINGWOOD 51"	1295	1085	865	865	1195	200	75
LINGWOOD 54"	1370	1125	865	865	1270	200	75
BELLINGHAM 54"	1370	1155	865	915	1270	200	75

Real stone has long been a distinctive material for fireplace mantels. As these are natural products each one will be unique, please visit your local Warm Home retailer to see samples of the real thing. For dimensions please refer to the table above.




AGEAN LIMESTONE CARRARA MARBLE OAK PINE

TIMBER	A	B	C	D	E	F	G
PINE WINGFIELD 48"	1220	1180	865	915	1145	215	25 - 75
PINE WINGFIELD 54"	1370	1195	915	915	1270	215	25 - 75
OAK ASHURST 53"	1345	1195	920	915	1280	180	25 - 75

All dimensions are ± 12 mm.

These mantels have the added benefit that the legs can be moved further apart by up to 50mm if required

MANTEL SIZE KEY




CAST INSERT SPECIFICATIONS

INSERT	FINISH			INSERT SIZES (All dimensions in mm)										GAS		PRECAST	BALANCED FLUE	ELECTRIC			
	BLACK	HIGHLIGHT	POLISHED	A	B	C	D	E	F	G	H	CAST BACK AVAILABLE	FOR STANDARD BACK						CLASS 1	CLASS 2	
													I	J	K						
SHILLINGTON	✓	✓		940	1170	405	570				115	1065	✓	590	810	311	✓	✓			✓
OAKLEY	✓		✓	785	990	345	595					915	✓	411	594	155	✓	✓			✓
MADISON		✓		940	940	450	545	785	825	40			✓	800	880	190	✓	✓			✓
GREENOCK*	✓	✓	✓	830	1005	450	660					915	✓	566	711	157	✓	✓			✓
HORLEY	✓	✓		930	925	370	670	650	800	75			✓	680	800	215	✓	✓			✓
HARLINGTON*	✓	✓	✓	940	940	430	660	835	855	75			✓	720	840	200	✓	✓			✓
EDENBRIDGE	✓	✓		785	990	340	525					915	✓	410	594	150	✓	✓			✓
LANGLEY	✓		✓	1105	1220	415	545					1220	✓	462	612	196	✓	✓			✓
CHEDDINGTON		✓		740	1145	340	570				80	915	✓	560	840	230	✓	✓			✓
EMBERTON		✓		1015	1015	590	700	785	870	40			✓	700	810	380	✓	✓			✓
DENFORD		✓		940	940	425	570	790	850	75							✓	✓	✓		✓
BARNWELL	✓	✓		940	940	445	660	785	825	65			✓	620	770	200	✓	✓			✓
FRANKTON*		✓		945	940	450	670	300	830	60			✓	700	800	215	✓	✓			✓
HE FRANKTON		✓		940	940	455	680	800	855	75							✓	✓	✓	✓	
BROUGHTON		✓		960	960	450	685	800	840	75			✓	830	850	280	✓	✓			
CLAYDON*	✓	✓		940	940	445	660	785	825	40			✓	600	760	180	✓	✓			✓
HE CLAYDON		✓		940	940	455	680	800	855	75							✓	✓	✓	✓	
OPAL	✓	✓		660	980	365	660					810	✓	380	680	150	✓	✓			✓
SYDENHAM*	✓		✓	1040	1040	445	660					1205	✓	566	711	157	✓	✓			✓
BURCOTT	✓		✓	940	940	340	560	740	860	60			✓	620	820	215	✓	✓			✓
LEAGRAVE*	✓	✓		965	965	430	660	790	835	65			✓	600	760	220	✓	✓			✓
FARRINGDON	✓		✓	940	940	405	560	875	900	75			✓	730	830	266	✓	✓			✓
HEYBRIDGE	✓	✓		940	940	395	545	845	865	75			✓	680	810	265	✓	✓			✓
HE HEYBRIDGE		✓		960	940	445	490	885	885	75											
WESTONING	✓	✓		965	965	430	610	890	830	100			✓	820	820	320	✓				✓
CHILTERN		✓		840	1005	445	545					915	✓	561	716	152	✓	✓			✓
SWANLEY		✓		940	940	410	560	850	875	75			✓	730	850	266	✓	✓			✓
DEEP BACK																+55					


NOTES:

- * Available with deeper back (as optional extra) for larger burning area
- All products (except chrome finish) are suitable for burning solid fuel, however polished and highlighted products may tarnish. Only burn small fires to start with in order to temper the cast iron.
- Before committing to a fireplace, please discuss your particular installation with your retailer who will provide expert advice and carry out a survey.
- All dimensions are provided as a guide only and are subject to a tolerance of $\pm 12\text{mm}$.
- It is normal for tiles to craze over time.
- Most fires have a remote control option, please ask your retailer.


insert



combination




chamber



FIREBASKET SPECIFICATIONS

BASKET	POLISHED	BLACK	CHROME	HIGHLIGHT	SIZES			CLASS 1	CLASS 2	ELECTRIC
					W	D	H			
MARQUISE	✓	✓			545mm	245mm	475mm	✓	✓	
LIGHTNING *			✓		425mm	285mm	225mm	✓	✓	
MAYLAND		✓		✓	570mm	280mm	440mm	✓		
KIRTON - SMALL *	✓	✓			485mm	305mm	365mm	✓	✓	
KIRTON - LARGE	✓	✓			560mm	280mm	475mm	✓		
TOPAZ - SMALL	✓	✓			400mm	250mm	200mm	✓		
TOPAZ - LARGE	✓	✓			550mm	250mm	200mm	✓		
SHOTLEY 16"		✓			390mm	280mm	180mm	✓		
SHOTLEY 18"		✓			455mm	320mm	170mm	✓		
QUARTZ NO BACK *	✓	✓			440mm	300mm	220mm	✓	✓	✓
QUARTZ WITH BACK *	✓	✓			455mm	300mm	385mm	✓	✓	✓
BRIGHTWELL WITH BACK	✓	✓			530mm	260mm	235mm	✓		
BRIGHTWELL NO BACK	✓	✓			530mm	260mm	190mm	✓		
CORAL	✓	✓			515mm	300mm	395mm	✓		✓
PEARL NO BACK	✓	✓			375mm	285mm	190mm	✓	✓	
PEARL WITH BACK	✓	✓			375mm	285mm	230mm	✓	✓	
TRILLION - SMALL (GAS)*		✓	✓		610mm	315mm	190mm	✓	✓	✓
LARIMAR*		✓	✓		455mm	285mm	250mm	✓	✓	
PRINCESS				✓	590mm	285mm	580mm	✓		✓

BASKET SIZES KEY



NOTES

- * High definition log set available for these baskets
- All products (except chrome finish) are suitable for burning solid fuel, however polished and highlighted products may tarnish. Only burn small fires to start with in order to temper the cast iron.
- Before committing to a fireplace, please discuss your particular installation with your retailer who will provide expert advice and carry out a survey.
- All dimensions are provided as a guide only and are subject to a tolerance of ± 12 mm.
- Most fires have a remote control option, please ask your retailer.


FIREPLACE SUITE SPECIFICATIONS

SUITE		A	B	C	D	E	F	G	H	I	PORTUGUESE LIMESTONE
RAMSEY 48	mm	1220	1040	760	820	1150	180	380	1220	50	✓
WITCHFORD 54	mm	1370	1120	805	865	1270	200	380	1370	50	✓
HADSTOCK 54	mm	1370	1115	865	840	1265	200	380	1370	50	✓
DUXFORD 42	mm	1066	965	690	755	990	160	380	1066	50	✓
DUXFORD 48	mm	1220	1025	760	765	1120	150	380	1220	50	✓
CLAVERING 48	mm	1220	1050	720	800	1120	200	380	1220	50	✓
STANFORD 48	mm	1220	1030	720	810	1120	200	380	1220	50	✓
BUNTINGFORD 48	mm	1220	1020	760	800	1120	180	380	1220	50	✓

All suites come as standard with a 75mm (3") rebate or 25mm (1") rebate.

Ambient Lights are available on 25mm (1") rebate models.

CLAVERING suite is available with 75mm (3") rebate only.



MADE 2 MEASURE

Change size to suit your home

PORTUGUESE LIMESTONE MADE TO MEASURE SUITES

In order to offer maximum flexibility and the ability to ensure that your fireplace fits your specific room perfectly, The Warm Home Fireplace Collection can offer a made to measure service on all Portuguese Limestone fireplaces from our suites collection. Our network of specially chosen retailers will be happy to discuss and advise on your individual requirements.

AMBIENT LIGHTS.

Secluded down lights are available on many of our fireplace suites

CAST IRON STOVE SPECIFICATIONS



TIGER
INSET

TIGER
MULTI FUEL

TIGER
GAS

TIGER
CLEAN BURN



FIREFOX 5
MULTI FUEL

FIREFOX 5
GAS

FIREFOX 5
CLEAN BURN



FIREFOX 8
MULTI FUEL

FIREFOX 8TD
MULTI FUEL

FIREFOX 8
GAS

FIREFOX 8
CLEAN BURN



FIREFOX 12
MULTI FUEL

FIREFOX 12B
BOILER



FIREFOX 5 CLASSIC
CLEAN BURN

FIREFOX 8 CLASSIC
CLEAN BURN

STOVE OUTPUT INFO

STOVE	MAX HEAT OUTPUT	EFFICIENCY
Tiger Inset CLEAN BURN	4.9kW	82%
Tiger multi fuel	6kW	77%
Tiger gas	5kW	73%
Tiger CLEAN BURN	5kW	73%
Tiger+ multi fuel	6.2kW	78%
Firefox 5 multi fuel	4.9kW	78%
Firefox 5 gas	4kW	73%
Firefox 5 CLEAN BURN	4.9kW	78%
Firefox 8 multi fuel	8.4kW	79%
Firefox 8TD multi fuel	8.4kW	79%
Firefox 8 gas	5kW	73%
Firefox 8 CLEAN BURN	8.4kW	67%
Firefox 12 multi fuel	13kW	76%
Firefox 12B (boiler)	13kW	73%
Firefox 5 Classic CLEAN BURN	4.9kW	78%
Firefox 8 Classic CLEAN BURN	8.4kW	67%

STOVE DIMENSIONS (mm)

STOVE	W	D	H
Tiger Inset CLEAN BURN	520	342	600
Tiger (MULTI FUEL & CLEAN BURN)	565	340	590
Tiger (GAS)	565	410	590
Firefox 5 (MULTI FUEL & CLEAN BURN)	412	374	560
Firefox 5 Classic CLEAN BURN	450	394	558
Firefox 5 (GAS)	412	440	585
Firefox 8 (MULTI FUEL & CLEAN BURN)	566	363	607
Firefox 8 Classic CLEAN BURN	583	375	570
Firefox 8 (GAS)	554	410	608
Firefox 12 (MULTI FUEL & BOILER)	645	415	680

AFTER CARE & MAINTENANCE

Understanding your new Warm Home fireplace.



CAST IRON

All the cast iron products are delivered with a protective, oil-based coating on polished surfaces. This should be cleaned off

during installation. It is recommended that a spray-type oil is applied from time to time in order to avoid surface rust appearing. Ensure that the room in which the cast iron product is being installed is thoroughly dry. For example recently plastered walls cause high levels of moisture in the atmosphere and, as a result, rust is likely to occur.

Under no circumstances should a water-based cleaner or polish be used to clean cast iron products.

When using ceramic fuel, ensure that these do not touch any of the polished surfaces as this will help to minimise the possibility of thermal discolouration.

High temperature paint is used on the black and graphite products where fires will burn. This paint will eventually burn off. A proprietary, high temperature paint can be used to recoat your fireplace. Such paint is available from your retailer.

There are some very high temperature burning fuels which can cause damage to any fireplace.

Please refer to the Solid Fuel Association (www.solidfuel.co.uk) recommendations and use an approved coal merchant as your supplier. No responsibility can be accepted if high temperature fuels have been used or if there is excessive draft. If in doubt we recommend the use of a clay fire back. It's your responsibility to burn smoke free fuels if you live in a smoke free zone.


Clean ash away regularly as a build up beneath the fire will cause the grate to burn out quickly. The grate is a consumable part of your fire and will need replacement from time to time, depending on the frequency and burning temperature of your fires.



GAS FIRES

A gas fire is a technical piece of equipment and, just like a gas boiler needs regular servicing. Please ensure that you have your

gas fire serviced regularly by a Gas Safe Register (Board Gais in ROI) registered installer.




LIMESTONE

All our limestone products are delivered pre-sealed in order to minimise any marks created during fitting. Once installed

your fitter should clean and re-seal your limestone products. Further sealing should not be necessary.

The stone mantels pictured are manufactured from 100% natural material. As such the mantel you will purchase will be unique due to the inevitable variations in fossil formation, veining and colour. This is one of the great attractions of 100% pure natural products. Please be aware that small fossils and variations in the limestone are part and parcel of this wonderful natural product.



MARBLE

Marble products may have small amounts of colour-matched filler to give the impression of a continuous surface. The nature of marble is

such that when it is formed in the earth, some small cracks are created too. The marble that is selected for the mantels shown in this brochure has been chosen to provide affordable quality, thus some minor cracks have been permitted. To achieve a perfect piece of marble with no imperfections at all means a huge amount of wastage. This has two principal effects, the product becomes prohibitively expensive and the natural resources

are depleted too quickly – a much more harmful approach to the world's environment.

General information

- i. The colours shown in the brochures are as accurate as possible, but if the colour you require is critical then please consult your retailer before basing all your decisions on the colours shown here.
- ii. Please also note that shading and crazing are characteristics of the glazed tiles used in tiled inserts and tiled hearths.
- iii. There are occasions when designs, or products are altered or discontinued without prior notice (a reserved right), so if you are about to set your heart on a particular fireplace, please consult your retailer before making that final commitment
- iv. All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, in particular, Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations.

For gas installations the most recognised independent body is Gas Safe Register (Board Gais in ROI) and for solid fuel installations it is HETAS.

Please confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace fitted by a Gas Safe Register (Board Gais in ROI) or HETAS registered fitter you will be given a certificate stating that your installation has been carried out in accordance with the Building Regulations. If you do not have one of these certificates then you will have to arrange for your local Building Control Officer to inspect your installation and approve it.

PLEASE NOTE

Your Warm Home fireplace is made up of a number of different components and it is important to ensure that your installer has the necessary qualifications and experience to fit ALL the components of a fireplace.

Variations in colour, veining and fossil formation in natural products are not considered defects, however in the unlikely event that there is a defect in any of the products shown in this brochure, then a replacement will be supplied without hesitation. Of course, this requires the products to be fully inspected prior to

installation as no responsibility for re-fitting or redecoration can be accepted if defective products have been installed. In this case and in the case of accidental damage after installation, in-situ repairs can be made by specialists, subject to prior agreement of terms with your retailer.

A FOCUS ON SERVICE FOR YOUR PEACE OF MIND

All cast iron products are manufactured in ISO 9002 accredited manufacturing facilities.

All the gas fires we supply are tested in accordance with CE requirements and are CE marked.

Due to the manufacturing processes all measurements are approximate and may vary slightly so allow for a tolerance of plus or minus 12mm.

In order to achieve some of the colour options, we plate the products using a variety of manufacturing processes. When we state that a product is “Antique Brass finish” or “Chrome finish” there is no intention to mislead. The products are not brass or chrome respectively, they are simply plated to give that effect.

The colours shown in the brochures are as accurate as possible, but if the colour you require is critical then please consult your retailer before basing all your decisions on the colours shown here.

Your home may have a chimney type which will allow you to choose any of the fireplaces shown in the brochures. However, please consult the selection charts in the brochures and if you are not clear please consult your HETAS or GAS SAFE REGISTER (Board Gais in ROI) registered installer or your retailer.

Gas fires with a gas input of 6.9kW or less do not normally require air vents, there are some circumstances where vents may be required. This is determined by your installer carrying out a spillage test during the commissioning process. If your chosen fire has a gas input greater than 6.9kW then a vent will be required. Please ask your retailer for further information.

There are occasions when designs, or products are altered or discontinued without prior notice (a reserved right), so if you are about to set your heart on a particular fireplace, please consult your retailer before making that final commitment.

REASSURANCE BEFORE YOU COMMIT TO THE INSTALLATION OF YOUR WARM HOME FIREPLACE.

It is a major project to have a new fireplace installed and it is good practice to try and prepare yourself as well as possible.


Whilst there appear to be no definitive regulations available, a sufficient gap must be provided around the basket when placed inside the fire chamber. This is essential because air must be able to flow into the fire in order for the fuel to burn effectively; the flue and fire chamber surfaces must be kept cool to avoid heat damage from the fire and where applicable gas controls need to be freely accessible.

Your Warm Home fireplace is made up of a number of different components and it is important to ensure that your installer not only meets the requirements above, but that he also has the necessary experience to fit ALL those components.

In the unlikely event that there is a defect in any of the products shown in this brochure, then a replacement will be supplied without hesitation. Of course, this requires the products to be fully inspected prior to installation as no responsibility for re-fitting or redecoration can be accepted if defective products have been installed. In this case and in the case of accidental damage after installation, in-situ repairs can be made by specialists, subject to prior agreement of terms with your retailer.

W A R M H O M E
FIREPLACE COLLECTION

Original Warm Home Fireplace Collection products are  (anti copying in design) registered, and are therefore protected by UK design right. We will not compromise on quality, neither should you, so in order for you to receive products manufactured to the highest possible standards, insist only on a genuine Warm Home Collection Fireplace



DEALER STAMP



www.warmhomefireplaces.co.uk

This brochure is printed
on FSC accredited
materials from
sustainable sources